



Keeping Up-to-date / Helpsheet

In this guide	
Using RSS readers	
Add an RSS feed	
Remove a feed	
Add a Tab (ie folder)	
Feedly	
Add an RSS feed (ie source)	
Organise sources (including to unfollow an RSS feed)	6
Article Alert Services	
Create an AutoAlert in Ovid	
Scheduling and Deduping options	8
Delivery options	8
Save an AutoAlert	
Managing your AutoAlerts	9
Create an Alert in EBSCOhost	10
Scheduling options	10
Delivery options	11
Save an Alert	11
Managing your Alerts	11
Create an Alert in Web of Science	12
Managing your Alerts	12
Create an Alert in PubMed	13
Managing your Alerts	14
Create an Alert in NICE HDAS (Healthcare Databases Advanced Search)	15
Creating an alert	
Managing your Alerts	15



Apr 2018

Table of Contents page alerts	
JournalTOCs	16
Zetoc	17
Publisher Alerts	18
BMJ Group: Evidence Alerts and BMJ Email Alerts	18
Highwire Press	19
Other publisher services	20

Using RSS readers

Netvibes



- Create an account (Basic option is free) using the sign up option http://www.netvibes.com/
- Make sure you are in Reader mode



Add an RSS feed

- Click + Add
- Click Reading App (i.e. RSS feed)
- You will see this display:




You can now paste a feed into the feed address box.

For example, to paste a feed for a JAMA journal

- Open a new web page in your browser
- Go to the JAMA RSS feeds web page
- http://jamanetwork.com/pages/rss
- Click on the JAMA link
- Various RSS feeds are available including Online First issue
- Right click on Online First Issue, select Copy Link Location
- Switch back to Netvibes
- Paste the link into the Feed address box, press Enter key

You will see this display



- To add the RSS feed to 'My Netvibes', click on the + top left of the RSS icon
- Close the "New Reading app" window (using the X top right of your screen)
- You will see JAMA feed listed in the left hand Navigation panel
- Click on the feed to view contents

Remove a feed


- Click on the feed in the Navigation panel
- Click on the settings icon
- Select Delete (as below), and confirm to delete



Add a Tab (ie folder)

Tabs can be used to hold a collection of feeds eg Journals

To add a Tab click this icon bottom left of the screen




- Enter a name for the Tab eg Journals and click Submit
- · Could can then click and drag feeds into your Tab

Feedly



- To sign in go to http://feedly.com (free to use)
- You can sign in using one of your existing accounts for any of these applications or continue with Feedly to create a Feedly account:




Add an RSS feed (ie source)

Click +



- Select Follow Publications and blogs
- You will see this display:



You can now paste a feed into this feed address box.


For example, to post a feed for the Nature journal

- Open a new web page in your browser
- Go to Nature's RSS web page http://www.nature.com/webfeeds/
- Various RSS feeds (i.e. Web feeds) are displayed including for Nature
- Right click on Nature, select Copy Link Location
- Switch back to Feedly
- Paste the link into the Feed address box, press Enter key

You will see this display below:




- To add this RSS feed (ie source) to Feedly, click FOLLOW
- You will see this display below in the left hand panel:



- Click **New Feed** (this will create a new folder for your RSS feed ie source)
- Enter a name for your **Feed** folder e.g. **Journals** and click **Create**
- The RSS feed (ie source) will be added to Journals
- Subsequent RSS feeds can be added to Journals or put into a new Feed folder

Organise sources (including to unfollow an RSS feed)

• To create a new feed folder, or move, edit or delete any RSS feed, click on your profile icon top right as shown below:



• Select Organise Sources

Article Alert Services

Alert services are provided for many of the search platforms including Ovid, EBSCOhost, PubMed. Typically, a search strategy (i.e. the search steps in your search history) can be saved as an alert. Subsequently, the system will automatically run the alert at the specified time interval and specified databases. Any new articles which are found which match the search will be emailed to you.

Below instructions are given to create an alert for the following search platforms:


- Ovid
- EBSCOhost
- Web of Science
- PubMed
- NHS Healthcare Databases

Please note, these instructions assume that you are familiar with searching using the various search platforms.

Create an AutoAlert in Ovid

- Create and run your search or open an existing saved search
- Click on Save All button below your search
- Note that AutoAlerts are saved in your Personal account within Ovid. Log in to your account, or if you do not already have a Personal account, create one now
- You should then see a similar screen to the one below:

Scheduling and Deduping options



- Enter a Search Name, optional comment, and select type as AutoAlert (SDI)
- Select the desired scheduling and deduping options
- Note that deduplication removes duplicate records from current and past AutoAlert results.
 Deduplication options are defined in terms of days previous to scheduled runs of an AutoAlert so, for example, 60 days means "Duplicate records removed from results gathered over the 60 days previous to the scheduled AutoAlert"

Delivery options

- Select your required delivery option(s). As well receiving results by email, you can also receive them via an RSS feed, or keep them in a 'project' folder held in your **My Projects** area in your Personal account
- Enter the recipient's email address
- You may wish to edit the Email subject to be more meaningful



 There are further options for the email format, include your search strategy, and fields included for each article

Save an AutoAlert


- Once all the required options have been selected, click **Save**
- You are returned to the Main Search page, with a confirmation message that your search history has been saved
- Note that the AutoAlert will automatically run on the database (or databases) that were open when the AutoAlert was created

Managing your AutoAlerts

- Click on **My Workspace** (log in to your Personal account if needed)
- Click on My Searches & Alerts
- Navigate to your AutoAlerts
- There are options for each AutoAlert to run, delete, copy, rename, edit, display, email jumpstart, and view a history log of when the AutoAlert ran
- Note that email jumpstart will allow you to email a link, typically to yourself, which you can use as an alternative way to run the AutoAlert.

Create an Alert in EBSCOhost

- Create and run your search or open an existing saved search
- Click on 'Save Searches/Alerts' option above your search
- Note that Alerts are saved in your Personal account within EBSCOhost. Log in to your account, or if you do not already have a Personal account, create one now
- You should then see a similar screen to the one below:



Scheduling options

- Enter an Alert Name and optional Description (the description will appear in the Subject line of the email that you receive)
- Select which database you want to run the Alert on from the Databases list. (Hold down the control key and left-click your mouse to select multiple databases)
- Select Alert
- Various scheduling options are now displayed for Frequency, limit to Articles published
 within the last <time frame> and the lifetime for the Alert Run Alert for <time frame>
- Select your required options or leave as the default

Delivery options

- Select the required Alert format options
- Select the required Email properties options
- Note that as a default, as well as receiving results by email, the system automatically creates an RSS feed which you can use
- Enter the recipient's email address

Save an Alert

- Once all the required options have been selected, click Save
- A confirmation message is displayed that your alert has been saved
- Click Continue to return to the Main search page
- Note that the Alert will automatically run on the database (or databases) that were selected when the Alert was created

Managing your Alerts


- Click on Folder top right on the Main Search screen (log in to your Personal account if needed)
- Click on Saved Alerts
- There are options for each Alert to retrieve (and run), delete, edit.

Create an Alert in Web of Science

- Create and run your search or open an existing saved search
- Click on the Create Alert on the left hand side of the screen



- Note that Alerts are saved in your Personal account within WoS. Log in to your account, or
 if you do not already have a Personal account, create one now
- You should then see a similar screen to the one below:



- Select the required options to receive alerts, either on a weekly or monthly basis
- To save, click on the Save button
- A confirmation message is displayed that your alert has been saved and there will be an option to collect an RSS feed for this search.
- Click Close to return to the original search page

Managing your Alerts

- Click on My Saved Searches top right on the Main Search screen (log in to your Personal account if needed)
- There are options for each Alert to delete, edit (use Modify Settings), and Open & Run

Create an Alert in PubMed

- Create and run your search or open an existing saved search
- Click on 'Save Search' option below the Search box
- Note that Alerts are saved in your My NCBI account within PubMed. Log in to your account, or if you do not already have an account, create one now.
- You should then see a similar screen to the right:



- You can choose to edit the search name
- Click Save button
- You will then see this screen:

Your PubMed s	earch	
Name of saved s	earch:	(wounds[Title]) AND honey[Title]
Search terms:	(wound	ds[Title]) AND honey[Title]
		<u>Test search terms</u>
Would you like e No, thank Yes, plea	KS.	dates of new search results?
E-mail: jscamme	l@sgul.a	ac.uk (<u>change</u>)
Schedule:		
Frequency:	Mont	thly •
Which day?	the fir	rst Sunday •
Formats:		
Report format	Sum	mary •
Number of items Send at most:	5 iter	ms Send even when there aren't any new results
Any text you wan	t to be a	added at the top of your e-mail (optional):
		аł
Save		Cancel

- Select the required options
- To save, click on the Save button
- A confirmation message is displayed that your alert has been saved

Managing your Alerts

- Click on My NCBI top right on the Main Search screen (log in to your NCBI account if needed)
- Click on **Saved Search** to view your searches / alerts
- There are options for each Alert to delete, edit (use Settings)


Create an Alert in NICE HDAS (Healthcare Databases Advanced Search)

Creating an alert

You can set up an alert for any row in any saved search strategy by clicking on the bell icon at the end of the row.



This then opens some options below your strategy:



Select options as required.

Alert email

- You can then specify an email address to have the alert sent to; if you leave this box blank, the results will be emailed to yourself, using the address that you gave when you registered for your OpenAthens account
- To add more than one email address, separate them with a comma or a semi-colon
- To email yourself as well as someone else, type your address in the box as well

Alert name

Enter an Alert name in the box provided and click the Save button

Managing your Alerts

Click on Alerts in the Advanced Search screen





There are options for each Alert to edit or delete.

Table of Contents page alerts

The following table of contents services are covered here:

- JournalTOCs
- Zetoc (University only subscription)
- Publishers' alerts

JournalTOCs

Covering over 29,000 titles across all disciplines, sign-up to receive free email alerts for Table of Contents of up to 30 titles.

- Go to the website http://www.journaltocs.ac.uk/
- You need to sign up (create an account) first in order to save your email alerts. Follow the instructions on the home page to do this
- Use the Search or Browse functions to find the journal(s) you want to follow
- To select a journal to follow tick the checkbox next to the journal title
- To turn on email alerts, tick the check box 'Email alerts is off'
- You should see a screen similar to that shown below



 Note: It is possible to export your followed journals as OPML files to add to your feed RSS reader

Zetoc

(Off-site access to University members only)

http://zetoc.mimas.ac.uk

The British Library's Zetoc service can send you the latest contents pages by email from journals you choose. The ZETOC service provides access to the British Library's Electronic Table of Contents (ETOC). The database contains details of approximately 28,000 current journals and 16,000 conference proceedings published per year. With almost 45 million article and conference records, the database covers every imaginable subject in science, technology, medicine, engineering, business, law, finance and the humanities.

The database covers the years from 1993 to date and is updated daily.

Accessing Zetoc

- Visit http://zetoc.mimas.ac.uk/
- Click on the "Login to ZETOC Alert" link
- To login using your SGUL username and password select

In the Universities section, find St. George's, University of London

Use the options below to set up email alerts and RSS feeds for journals



A Zetoc Alert – Access

Set up, modify and delete email alerts



Zetoc Search – Access

Search for citations of journal articles and conference proceedings



Zetoc RSS – Access

Set up RSS feeds for journals

Publisher Alerts

Many publishers' websites provide their own email tocs services to help you keep up to date with their latest content. For example, BMJ Publishing Group and Highwire Press are two key healthcare publishers offering a number of ways to alert you to new articles in your area.


BMJ Group: Evidence Alerts and BMJ Email Alerts

EvidenceAlerts

http://plus.mcmaster.ca/EvidenceAlerts

This is a free evidence-based healthcare (EBH) alerting service provided by the BMJ Group that incorporates the McMaster PLUS email alerting system and searchable database of best evidence from the medical literature. Register with the above website to receive tailored EBH email alerts, links to full text article and search access by patient and population groups and clinical discipline.

To begin the process click on the **email alerting** system link and fill-in the online form.



BMJ Custom Alerts

http://www.bmj.com/theBMJ


Register with the BMJ site to access table of contents from any BMJ journal or alerts on clinical topics

- Visit the BMJ website and click Get alerts to begin the subscription process
- Follow the on-screen instructions to register for alerts and personalization services
- You will normally need to confirm your registration to either set up table of contents or clinical topic alerts:

Highwire Press

http://highwire.stanford.edu/personalize/

HighWire Press at Stanford University partners with independent scholarly publishers, societies, associations, and university presses to facilitate the digital dissemination of 1700 journals. Currently, 61 of these titles are available for free online, including a number of medical and social sciences titles.



 Click on eTOCS to receive email notification that an issue of your journal of interest has gone online.

Other publisher services

Cambridge University Press http://www.journals.cup.org

Register for free email alerts from CUP

Elsevier Science http://www.sciencedirect.com

Elsevier Science provides a number of alerting and awareness services (search alerts, topic alerts and volume and issue alerts). Register with the site to set-up an alert. New for 2014: Sign-up to the Research Highlights service to track authors and papers by topic.

Ovid Journals http://ovidsp.ovid.com

Login to Ovid to set up email alerts from key Ovid journals

Oxford University Press http://www.oxfordjournals.org/our_journals/

Manage alerts from OUP journals at this website.

ProQuest http://search.proquest.com

NHS staff can access updates in RSS format for newly published articles from the health science journals contained in the ProQuest Hospital Collection.

Royal Society of Medicine http://www.uk.sagepub.com/rsmjournals.sp

Subscribe to the RSM site to set-up email alerts from their 24 titles

Sage Publications http://www.uk.sagepub.com/

Sign-up for email alerts from medical, nursing and public health journals

SpringerLink http://www.springerlink.com/

Register with this provider of STM journals to sign-up for Alerts

Wiley-Blackwell http://onlinelibrary.wiley.com/

Register with the Wiley site, create a profile and register for email alerts from key journals